



\* Representative image

## ALRC004TBC

by Acme Electric  
Catalog ID: ALRC004TBC

Prop65\_Cancer&Reproductive

AC Line Reactor - Three Phase, 240 Volts 10% Z - 480 Volts 5% Z - 600 Volts 4% Z, 9189 uH, 4 A, CE Marked

- Protects from damaging voltage drop
- Eliminates nuisance tripping
- Reduces surges and spike currents
- Longer life for motors and solid state components

### Product Details

#### General

CE Compliant	CE Marked
Inductance	9189 uH
Inductance Range	751+ uH
Max Temperature Rise	115 Degrees Celsius
Motor Power	2 HP
Mounting Hole Width	1.44 in. (3.7 mm)
Primary Voltage	240V / 480V / 600V
Product Category	AC Line Reactor
Reactor Current	4 A
UL Insulation Class	180°C
UPC	004750319122
Winding Material	CU

#### Dimensions

Height	3.875 in
Length	3.125 in
Weight	4 lb
Width	4.25 in

#### Electrical Ratings

Frequency Rating	60 Hz
Primary Voltage	240/480/600 V

#### Certifications and Compliance

CE Compliant	CE Marked
CSA Standard	C22.2 No 66

UL Standard	UL 506
-------------	--------