

Harmonic Mitigation Transformer - Three Phase, 480Δ - 208Y/120V, 112.5kVA

By Acme Electric

Catalog ID: H3112K0014BS



* Representative image

By Acme Electric

Catalog ID: H3112K0014BS

Prop65_Cancer

Harmonic Mitigation Transformer - Three Phase, 480Δ - 208Y/120V, 112.5kVA

Product Details

General

ANFC Taps	2
BNFC Taps	2
Construction	Ventilated
Electrostatic Shield	Shielded
Max Temperature Rise	150 Degrees Celsius
Mounting Type	Floor
Primary Voltage	480Δ

Product Category	Harmonic Mitigation Transformer
------------------	---------------------------------

Secondary Voltage	208Y/120 V
-------------------	------------

Taps % Steps	2.5%
--------------	------

UL Insulation Class	220°C
---------------------	-------

UPC	047503099919
-----	--------------

Winding Material	CU
------------------	----

kVA	112.5
-----	-------

Dimensions

Dimensions	29.88 in x 32.9 in x 41.52 in
------------	-------------------------------

Height	41.52 in
--------	----------

Length	29.88 in
--------	----------

Weight	938 lb
--------	--------

Width	32.9 in
-------	---------

Electrical Ratings

Efficiency	98.74%
------------	--------

Frequency Rating	60 Hz
------------------	-------

Primary Voltage	480D V
-----------------	--------

Certifications and Compliance

CSA Standard

C22.2 No. 47

Dept of Energy Regulation

Meets or exceed U.S. DOE 10 CFR Part 431

Nema Rating

NEMA 3R

UL Standard

UL 1561
